

TW025M3

100814N

1" - TITANIUM COMPOSITE DOME - 25 mm


Replaceable voice coil assembly lon deposited pure Titanium Injected polymer face plate reinforced glass fiber High efficiency : 93 dB/W/m Ferrofluid cooled voice coil

Equipage mobile interchangeable Titane pur déposé sous vide Face polymère injectée renforcée fibre de verre Haut rendement : 93 dB/W/m Bobine refroidie par ferrofluide



Pure Titanium is ion deposited onto an advanced soft polymer 1st diaphragm. The composite created offers increased stiffness with high internal damping, combining advantages of pure metal domes while retaining the low distortion of soft domes. The result is a detailed and musical sound reproduction Easily coupled with 2nd order crossover as shown Fig 1. Two crossover points are suggested for adequate power handling.


Le dépôt sous vide d'une couche de Titane pur améliore la rigidité du dôme tout en préservant l'amortissement du dôme souple. Ce tweeter bénéficie ainsi d'une reproduction musicale et dynamique.Il peut être filtré au second ordre (12 dB/Oct) selon le shéma Fig 1. Deux réquences de coupure sont proposées ain d'obtenir la tenue en puissance adéquate.



TW025M3 D08DDP0010


TW025M3


LA PASSION DU HAUT-PARLEUR



Technical Characteristics	Symbol	Value	Units
PRIMARY A	PPLICA	TION	
Nominal Impedance	Z	8	Ω
Resonance Frequency	Fs	1500	Hz
Nominal Power Handling	P	70	W
Sensitivity	E	93	dB
VOIC	E COIL	33 1 2 2	
Voice coil diameter	Ø	25	mm
Minimum Impedance	Zmin	7	Ω
DC Resistance	Re	5,8	Ω
Voice Coil Inductance	Lbm	13	μH
Voice coil Length	h	1.6	mm
Former		Aluminium	
Number of layers	n	2	
MA	GNET		Cules:
Magnet dimensions	Øxh	72 x 15	mm
Magnet weight	m	0.24	kg
Flux density	В	1.6	T
Force factor	BL	3,1	NA ¹
Height of magnetic gap	He	3	mm
Stray flux	Fmag	110	Am ⁻¹
Linear excursion	Xmax	±0,3	mm
PARA	METERS		
Suspension Compliance	Cms		mN'
Mechanical Q Factor	Qms	-	-
Electrical Q Factor	Qes		
Total Q Factor	Qts		
Mechanical Resistance	Rms		kg s'
Moving Mass	Mms	0,31.10*	kg
Effective Piston Area	S	6,2.10*	m
Volume Equivalent of Air at Cas	Vas	-	ma
Mass of speaker	M	0.48	kg

APPLICATION PARAMETERS		
Fc	Crossover Frequency	Hz
S	Slope	dB / Oct.
L	Self-inductance	mH
С	Capacitor	μF
P	Nominal Power Handling	W





Please refer to method of measurement and measurement conditions pages 15 to 19. Audax may, without prior notification modify the specifications on its products further to research and development requirements.