Code Z002800

- 1.5" voice coil Kapton former
- Rubber surround with DAR technology
- Cone waterproof treatment
- Ventilated magnet to reduce power compression
- Ferrite magnet circuit with copper ring
- 86.7 dB sensitivity


| Specifications | | |
|------------------------------|--------------|--|
| Nominal Diameter | 150mm (5,5") | |
| Nominal Impedance | 8Ω | |
| Rated Power AES (1) | 100W | |
| Continuous Program Power (2) | 200W | |
| Sensitivity @ 1W/1m (3) | 86.7dB | |
| Voice Coil Diameter | 38mm (1,5") | |
| Voice Coil Winding Depth | 15mm | |
| Magnetic Gap Depth | 6mm | |
| Flux Density | 0.98T | |
| Magnet Weight | 515g | |
| Net Weight | 1.5kg | |


| Thiele & Small Parameters (4) | | | | |
|-------------------------------|----------|-----------|---------------------|--|
| Re | 6.06Ω | Fs | 50.5Hz | |
| Qms | 4.12 | Qes | 0.42 | |
| Qts | 0.48 | Mms | 12.0g | |
| Cms | 811µm/N | Bxl | 7.41Tm | |
| Vas | 7.01 | Sd | 78.5cm ² | |
| X max ⁽⁵⁾ | +/-4.6mm | X var (6) | +/-6.8mm | |
| η_0 | 0.21% | Le (1kHz) | 0.53mH | |


| Constructive Characteristics | | | |
|------------------------------|--------------------------------|--|--|
| Magnet | : Ferrite | | |
| Basket Material | : Aluminium Die-Cast | | |
| Voice Coil Winding Material | : Copper | | |
| Voice Coil Former Material | : Kapton | | |
| Cone Material | : Paper | | |
| Cone Treatment | : Surface Waterproof Treatment | | |
| Surround Material | : Rubber | | |
| Dust Dome Material | : Rubber | | |




n° 6 holes \emptyset 4.2mm at 60° on \emptyset 69 mm









Note:

- 1 : Rated Power measured with 2 hours test with pink noise signal, 6dB crest factor, loudspeaker mounted on enclosure
- 2: Power on Continuous Program is defined as 3 dB greater than the Rated Power
- 3: Calculated by Thiele & Small parameters
- 4: Thiele & Small parameters measured with laser system without preconditioning test
- 5: Measured with respect to a THD of 10% using a parameter-based method
- 6: Value corresponding to a decay of the Force Factor, or Compliance, or both, equal to the 50% of the small signal value.
- 7: Drawing dimensions: mm
- 8: The notch around 400Hz on the frequency response is typical of the measurement on IEC baffle

Due to continuing product improvement, the features and the design are subject to change without notice.