


6 E 1,5 CS 8Ω

6" | 200 W

Code Z004035



DAR Rubber surround with Double Asymmetric Rolls Technology (DAR)

WpT Waterproof Cone Treatment

Ferrite Magnet Circuit

Ventilated Voice Coil to reduce Power Compression


91.5 dB sensitivity


Frequency Range 60-4000 Hz






Professional








General Spec	ifications		
Nominal Diameter			164 mm (6")
Nominal Impedance			8 Ω
Rated Power AES ⁽¹⁾			100 W
Continuous Program Power ⁽²⁾			200 W
Sensitivity @ 1W/1m ⁽³⁾			91.5 dB
Voice Coil Diameter			38 mm (1,5")
Voice Coil Winding Depth			11 mm
Magnetic Gap Depth			8 mm
Flux Density			1.00 T
Magnet Weight			426 g
Net Weight			1.5 kg
Thiele & Smal	Il Parameters (4)		
Re	5.0 Ω	Fs	60.0 Hz
Qms	2.4	Qes	0.45
Qts	0.38	Mms	13.3 g
Cms	529 μm/N	Bxl	7.5 Tm
Vas	11.3	Sd	122.7 cm ²
X max ⁽⁵⁾	+/-2.5 mm	X var ⁽⁶⁾	+/-4.5 mm
ηο	0.53 %	Le (1kHz)	0.61 mH





Frequency Response on 10 Lt @ 75 Hz Vented Box @ 1W, 1m Free Air Impedance

Constructive Characteristics		
Magnet	Ferrite	
Basket Material	Pressed Sheet Steel	
Voice Coil Winding Material	Copper	
Voice Coil Former Material	Aluminium	
Cone Material	Paper	
Cone Treatment	Surface Waterproof Treatment	
Surround Material	Rubber	
Dust Dome Material	Paper Ogive	
Mounting Information		
Overall Diameter	165,8 mm	
Baffle Cutout Diameter	142 mm	
Mounting Holes	4 holes 5x7 on ø156 mm	
Total Depth	75.7 mm	

(1) Rated Power measured with 2-hour test with pink noise signal, 6dB crest factor, loudspeaker in free air, power calculated on rated Zmin. (2) Power on Continuous Program is defined as 3dB greater than the Rated Power. (3) Calculated by Thiele & Small parameters, for SPL average in box refer to frequency response. (4) Thiele & Small parameters measured with laser system after preconditioning test. (5) Measured with respect to a THD of 10%. (6) Value corresponding to a decay of the Force Factor, or Compliance, or both, equal to the 50% of the small signal value. (7) Drawing dimensions: mm.